

AJ OXFORD TABLE LAMP

Designed by Arne Jacobsen



Technical specifications

Materials

Shade: Mouth-blown three layered white opal glass.
Stem and top shade: Steel.
Mounting device for pin mounting: Aluminium.
Union nut and finger screw in untreated brass with fine clockwise hairlines.

Please note the untreated brass will patinate.

Finishes

Black wet painted stem. Three-layered mouth-blown opal glass.
Black wet painted or opal glass top shade.

Mounting

Black textile cord with plug.
Cord length: 2.2 m.
On/off switch on socket house with union nut in untreated brass. For mounting instructions, see download section on the product detail page.

Information


Pin solution for 410 mm with metal shade and 280 mm variants available upon request. For the E-socket product variants, bulbs are not included. LED light source is part of the product.

AJ OXFORD TABLE LAMP


Designed by Arne Jacobsen

Light distribution diagrams


CARTESIAN



ISOLUX



POLAR



Variant Options

For particular variant options, please check our online Product Variants Configurator on the product detail page.

VARIANT NO.	LIGHT SOURCE	VOLTAGE/FRQ	LUMEN	FEATURES	CABLE
5744168562	1x20W E14		355	-	-
5744168575	1x20W E14		355	-	-
5744168588	1x20W E14		324	-	-
5744168591	1x20W E14		324	-	-
5744168601	1x20W E14		355	-	-
5744168614	1x20W E14		355	-	-
5744168627	1x20W E14		324	-	-
5744168630	1x20W E14		324	-	-
5744168643	1x20W E14		355	-	-
5744168656	1x20W E14		355	-	-

AJ OXFORD TABLE LAMP

Designed by Arne Jacobsen

Variants

VARIANT NUMBER	COLOR, RAL	W / H / L (IN) / W (LB)
5744168562	BLACK, 314	220 / 413 / 220 IN / 1.0 LB
5744168575	BLACK, 314	220 / 413 / 220 IN / 1.0 LB
5744168588	BLACK, 314	220 / 413 / 220 IN / 1.2 LB
5744168591	BLACK, 314	220 / 413 / 220 IN / 1.2 LB
5744168601	BLACK, 314	220 / 284 / 220 IN / 0.9 LB
5744168614	BLACK, 314	220 / 284 / 220 IN / 0.9 LB
5744168627	BLACK, 314	220 / 284 / 220 IN / 1.1 LB
5744168630	BLACK, 314	220 / 284 / 220 IN / 1.1 LB
5744168643	BLACK, 314	220 / 410 / 220 IN / 0.9 LB
5744168656	BLACK, 314	220 / 410 / 220 IN / 0.9 LB