

LBM TABLE LAMP

PRODUCT FACT SHEET



LBM TABLE LAMP


DESIGN BY MOISÉS HERNÁNDEZ, 2022

Inspired by the innovative architecture of fellow Mexican Luis Barragan, Moisés Hernández designed the LBM Table Lamp to reflect his fascination with monolithic geometry, colour, light and shadows. Constructed from thin planes of vertical sheet steel, the utilitarian simplicity of the shape results in visual lightness with a strong design, giving it an artistic quality that is equally appealing both when in use and switched off. The straight, folded structure can be positioned against an upright surface, using an integrated LED light with inline step dimmer to emit an ambient downlight that creates a subtle gradient effect with a unique, calming atmosphere. Featuring a sand finish powder coating in a variety of colours, LBM's functionality and deliberately uncluttered design makes it suitable for a wide range of spaces and uses in domestic and corporate environments.

HIGHLIGHTS

- Part of a progressive and technologically advanced lighting collection.
- Innovative geometric table lamp available in various colours.
- Constructed from thin planes of vertical sheet steel with a sand finish powder coating.
- Equally appealing both when in use and switched off.
- Integrated LED light source with a life span of at least 25,000 hours of use with inline step dimmer.
- Magnet attached to cable that can be moved around for optimal and tidy cable positioning.
- The lamp is suitable for both private and office environments.
- Qualified for contract use.

DIMENSIONS



WIDTH 22,5 CM | 8.75"

DEPTH 10,5 CM | 4.25"

HEIGHT 22 CM | 8.75"

MATERIALS

SHADE

Sheet metal with a sand powder coating finish. Extruded aluminium component with a wet spray finish.

DIFFUSER

Polycarbonate diffuser.

CORD

Silicone cord with PVC cable exit and an inline step dimmer.

MAGNET

Drilled steel with a wet spray finish.

COLOUR & FINISH

Please note that the colour codes are indicative.



CLAY
NCS S 5020-Y10R



CREAM WHITE
RAL 9010



LUIS PINK
RAL 3015



TITANIUM YELLOW
RAL 1016



TOMATO RED
RAL 3013

TECHNICAL SPECIFICATIONS


LIGHT SOURCE	POWER (WATTS)	DIMMABLE	POWER SUPPLY	IP	CORD LENGTH	SWITCH
Integrated LED	8W	Yes	220-240V AC at 50/60Hz	20	200 cm	Inline step dimmer

TEST SPECIFICATION OUTPUTS*

FLUX (LUMENS)	CCT (KELVIN)	CRI (1-100)
360lm	2800K warm white	>90

*Photometrics and the test specification shown is taken using the integrated LED.


PHOTOMETRICS



CERTIFICATES

CE APPROVED

This product has been assessed and complies with the essential requirements of the relevant European directives.



Tested according to the following European EN IEC standards which relate specifically to electrical lighting products including:

- EN IEC 55015:2019/A11:2020 (radio disturbance)
- EN 61547:2009 (EMC immunity)
- EN IEC 61000-3-2:2019/A1:202 (EMC compatibility)
- EN 61000-3-3:2013+A1:2019 (EMC compatibility)
- EN 60598-2-4:2018 (portable luminaires)
- EN IEC 60598-1:2021 (general requirements)
- EN 62493:2015 (human exposure to EMC)
- EN IEC 62031:2020 (safety specifications)

COUNTRY OF ORIGIN

China

DOWNLOADS

Packshots and lifestyle photos, 2D / 3D files, care and maintenance, instructions, test certificates, product fact sheets, and product presentations are available in our Digital Library at hay.com.

[LINK TO DIGITAL LIBRARY](#)